A NEW VENTURE IN RETROFIT LED

VLEDs from Venture Lighting promise huge energy savings and longer lamp life all backed up by a 5 year warranty.





The perfect LED replacement solutions for your lighting.

All VLED retrofit lamps offer:

- integrated high power drivers so no control gear is needed
- active cooling to maximise LED efficiency and lamp life
- high colour rendering index for quality output
- installation in indoor and weatherproof fittings
- -40°C to 45°C ambient temperature range
- CE, RoHS, ECA and IP20 conformity

The table below shows how VLED energy saving retrofit solutions can be used as possible alternatives.

LUMENS	LED RETROFIT LAMP	M/H, HPS, MBFU	STANDARD GLS (E27)	COMPACT FLUORESCENT (CFL)
2,000	20W	Replaces up to 70W	150W	26W
4,000	35W	Replaces up to 150W	—	57W
5,000	45W	Replaces up to 175W	300W	70W
6,000	60W	Replaces up to 200W	—	-
8,000	80W	Replaces up to 225W	-	—
9,000	100W	Replaces up to 250W	-	-
9,000	100W High bay	Replaces up to 250W	-	-
12,000	150W High bay	Replaces up to 400W	-	-



PROFESSIONAL

100W LED RETROFIT HIGH BAY LAMP

PROFESSIONAL



Life	50,000 hours
Energy rating	A +
Beam angle	>120°
Supply volts	220-240V~±6%
Supply frequency	50/60Hz
Dimming	Non dimmable
Dimensions	230 x 235mm
Operational ambie	nt -40°C to 45°C
Warm up time	3 seconds
Switching cycle	80,000



Life	50,000 hours
Energy rating	A +
Beam angle	>120°
Supply volts	220-240V~±6%
Supply frequency	50/60Hz
Dimming	Non dimmable
Dimensions	200 x 225mm
Operational ambie	nt -40°C to 45°C
Warm up time	3 seconds
Switching cycle	80,000

PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF022	15,200	5,000K	E40
RTF032	15,500	5,700K	E40

PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF021	10,200	5,000K	E40
RTF031	10,400	5,700K	E40



PROFESSIONAL



PROFESSIONAL



Life	50,000 hours
Energy rating	A+
Beam angle	360°
Supply volts	220-240V~±6%
Supply frequency	50/60Hz
Dimming	Non dimmable
Dimensions	355 x 100mm
Operational ambie	nt -40°C to 45°C
Warm up time	3 seconds
Switching cycle	80,000

PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF028	10,200	5,000K	E40
RTF038	10,400	5,700K	E40



50,000 hours A+ 360°
360°
220-240V~±6%
50/60Hz
Non dimmable
305 x 100mm
nt -40°C to 45°C
3 seconds
80,000

PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF027	8,600	5,000K	E40
RTF037	8,800	5,700K	E40



PROFESSIONAL

45W LED RETROFIT UNIVERSAL LAMP

PROFESSIONAL



Life	50,000 hours
Energy rating	A+
Beam angle	360°
Supply volts	220-240V~±6%
Supply frequency	50/60Hz
Dimming	Non dimmable
Dimensions	305 x 100mm
Operational ambie	nt -40°C to 45°C
Warm up time	3 seconds
Switching cycle	80,000

	Î
V	THE ADDR
U	U

Life	50,000 hours
Energy rating	A+
Beam angle	360°
Supply volts	220-240V~±6%
Supply frequency	50/60Hz
Dimming	Non dimmable
E27 Dimensions	255 x 80mm
E40 Dimensions	265 x 80mm
Operational ambie	nt -40°C to 45°C
Warm up time	3 seconds
Switching cycle	80,000


PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF025	5,050	5,000K	E27
RTF035	5,100	5,700K	E27
RTF046	5,050	5,000K	E40
RTF048	5,100	5,700K	E40

PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF026	6,300	5,000K	E40
RTF036	6,500	5,700K	E40



V.

Winner Winner



PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF024	3,950	5,000K	E27
RTF034	4,000	5,700K	E27
RTF045	3,950	5,000K	E40
RTF047	4,000	5,700K	E40

20W LED RETROFIT UNIVERSAL LAMP

PROFESSIONAL



Life	50,000 hours
Energy rating	A +
Beam angle	360°
Supply volts	220-240V~±6%
Supply frequency	50/60Hz
Dimming	Non dimmable
Dimensions	185 x 80mm
Operational ambie	nt -40°C to 45°C
Warm up time	3 seconds
Switching cycle	80,000

PART NO.	LUMENS	COLOUR TEMP.	BASE
RTF023	2,150	5,000K	E27
RTF033	2,180	5,700K	E27

Reduce energy and lamp replacement costs with our new long-life, long-warranty Retrofit LEDs.



Up to 80% direct energy saving





Venture Lighting products have always stood for high quality and reliability. Our new range of VLED Retrofit lamps offer our customers the same high standards and performance on which our great reputation has been built.

Fit VLED Retrofit today!

Speak to our knowledgeable and friendly technical sales team for a quotation or more information.



